

**Unit/Bundle 1: Solve Linear Equations & Inequalities in One Variable (7 weeks/3.5 weeks block)**

<b>KY.HS.A.18 Solve linear equations and inequalities in one variable, including literal equations with coefficients represented by letters.</b>	<b>Priority Standard</b>
KY.HS.A.1 Interpret expressions that represent a quantity in terms of its context. ★ a). Interpret parts of an expression, such as terms, factors and coefficients. b). Interpret complicated expressions, given a context, by viewing one or more of their parts as a single entity.	<b>Supporting Standard</b>
KY.HS.A.12 Create equations and inequalities in one variable and use them to solve problems.	<b>Supporting Standard</b>
KY.HS.A.15 Rearrange formulas to solve a literal equation, highlighting a quantity of interest, using the same reasoning as in solving equations.	<b>Supporting Standard</b>
KY.HS.A.16 Understand each step in solving a simple equation as following from the equality of numbers asserted at the previous step, starting from the assumption that the original equation has a solution. Construct a viable argument to justify a solution method.	<b>Supporting Standard</b>

<b><i>The following standards are supporting to all units</i></b>	
KY.HS.N.4 Use units in context as a way to understand problems and to guide the solution of multi-step problems; ★ a). Choose and interpret units consistently in formulas b). Choose and interpret the scale and the origin in graphs and data displays.	<b>Supporting Standard</b>
KY.HS.N.5 Define appropriate units in context for the purpose of descriptive modeling. ★	<b>Supporting Standard</b>
KY.HS.N.6 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. ★	<b>Supporting Standard</b>
KY.HS.F.1 Understand properties and key features of functions and the different ways functions can be represented. a). Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If $f$ is a function and $x$ is an element of its domain, then $f(x)$ denotes the output of $f$ corresponding to the input $x$ . b). Using appropriate function notation, evaluate functions for inputs in their domains and interpret statements that use function notation in terms of a context. c). For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities and sketch graphs showing key features given a verbal description of the relationship. d). Understand properties and key features of functions and the different ways functions can be represented. Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes.	<b>Supporting Standard</b>

Algebra I Unit/Bundle Plan 2019-2020

e). Understand properties and key features of functions and the different ways functions can be represented. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).	
--	--

**Unit/Bundle 2: Graphing Linear Equations & Inequalities in Two Variables (7 weeks/3.5 weeks block)**

<p><b>KY.HS.A.25 Graph linear inequalities in two variables.</b>                  a). Graph the solutions to a linear inequality as a half-plane (excluding the boundary in the case of a strict inequality).                  b). Graph the solution set to a system of linear inequalities as the intersection of the corresponding half-planes.</p>	<p><b>Priority Standard</b></p>
<p><b>KY.HS.F.3 Understand average rate of change of a function over an interval.</b>                  a). Calculate and interpret the average rate of change of a function (presented symbolically or as a table) over a specified interval.                  b). Estimate the rate of change from a graph. ★</p>	<p><b>Priority Standard</b></p>
<p><b>KY.HS.F.4 Graph functions expressed symbolically and show key features of the graph, with and without using technology (computer, graphing calculator). ★</b>                  a). Graph linear and quadratic functions and show intercepts, maxima and minima. (linear only-quadratic will be taught in 5)</p>	<p><b>Priority Standard</b></p>
<p><b>KY.HS.SP.7 Interpret the slope (rate of change) and the intercept (constant term) of a linear model in the context of the data.</b></p>	<p><b>Priority Standard</b></p>
<p>KY.HS.A.13 Create equations in two or more variables to represent relationships between quantities; graph equations on coordinate axes with labels and scales.</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.A.23 Understand that the graph of an equation in two variables is the set of all its solutions plotted in the coordinate plane.</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.F.2 Recognize that arithmetic and geometric sequences are functions, sometimes defined recursively, whose domain is a subset of the integers.</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.F.6 Write a function that describes a relationship between two quantities. ★                  a). Determine an explicit expression, a recursive process, or steps for calculation from a context.                  b). Combine standard function types using arithmetic operations.</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.F.7 Use arithmetic and geometric sequences to model situations and scenarios.                  a). Use formulas (explicit and recursive) to generate terms for arithmetic and geometric sequences.                  b). Write formulas to model arithmetic and geometric sequences and apply those formulas in realistic situations. ★</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.F.11 Distinguish between situations that can be modeled with linear functions and with exponential functions.                  a). Recognize and justify that linear functions grow by equal differences over equal intervals and that exponential functions grow by equal factors over equal intervals.                  b). Recognize situations in which one quantity changes at a constant rate per unit interval relative to another.</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.F.14 Interpret the parameters in a linear or exponential function in terms of a context.</p>	<p><b>Supporting Standard</b></p>

<b><i>The following standards are supporting to all units</i></b>	
<p>KY.HS.N.4 Use units in context as a way to understand problems and to guide the solution of multi-step problems; ★</p> <p>a). Choose and interpret units consistently in formulas</p> <p>b). Choose and interpret the scale and the origin in graphs and data displays.</p>	<b>Supporting Standard</b>
<p>KY.HS.N.5 Define appropriate units in context for the purpose of descriptive modeling. ★</p>	<b>Supporting Standard</b>
<p>KY.HS.N.6 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. ★</p>	<b>Supporting Standard</b>
<p>KY.HS.F.1 Understand properties and key features of functions and the different ways functions can be represented.</p> <p>a). Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If <math>f</math> is a function and <math>x</math> is an element of its domain, then <math>f(x)</math> denotes the output of <math>f</math> corresponding to the input <math>x</math>.</p> <p>b). Using appropriate function notation, evaluate functions for inputs in their domains and interpret statements that use function notation in terms of a context.</p> <p>c). For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities and sketch graphs showing key features given a verbal description of the relationship.</p> <p>d). Understand properties and key features of functions and the different ways functions can be represented. Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes.</p> <p>e). Understand properties and key features of functions and the different ways functions can be represented. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).</p>	<b>Supporting Standard</b>

## Benchmark #1 (Units 1 - 2)

### Unit/Bundle 3: Solving Systems of Linear Equations & Inequalities (6 weeks/3 weeks block)

<p><b>KY.HS.A.20 Solve systems of linear equations in two variables.</b>  <b>a). Understand a system of two equations in two variables has the same solution as a new system formed by replacing one of the original equations with an equivalent equation.</b>  <b>b). Solve systems of linear equations with graphs, substitution and elimination, focusing on pairs of linear equations in two variables.</b></p>	<p><b>Priority Standard</b></p>
<p>KY.HS.A.2 Use the structure of an expression to identify ways to rewrite it and consistently look for opportunities to rewrite expressions in equivalent forms.</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.A.14 Create a system of equations or inequalities to represent constraints within a modeling context. Interpret the solution(s) to the corresponding system as viable or nonviable options within the context.</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.A.24 Justify that the solutions of the equations <math>f(x) = g(x)</math> are the x-coordinates of the points where the graphs of <math>y = f(x)</math> and <math>y = g(x)</math> intersect. Find the approximate solutions graphically, using technology or tables. ★</p>	<p><b>Supporting Standard</b></p>

<p><b><i>The following standards are supporting to all units</i></b></p>	
<p>KY.HS.N.4 Use units in context as a way to understand problems and to guide the solution of multi-step problems; ★  a). Choose and interpret units consistently in formulas  b). Choose and interpret the scale and the origin in graphs and data displays.</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.N.5 Define appropriate units in context for the purpose of descriptive modeling. ★</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.N.6 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. ★</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.F.1 Understand properties and key features of functions and the different ways functions can be represented.  a). Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If <math>f</math> is a function and <math>x</math> is an element of its domain, then <math>f(x)</math> denotes the output of <math>f</math> corresponding to the input <math>x</math>.  b). Using appropriate function notation, evaluate functions for inputs in their domains and interpret statements that use function notation in terms of a context.  c). For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities and sketch graphs showing key features given a verbal description of the relationship.  d). Understand properties and key features of functions and the different ways functions can be represented. Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes.</p>	<p><b>Supporting Standard</b></p>

Algebra I Unit/Bundle Plan 2019-2020

e). Understand properties and key features of functions and the different ways functions can be represented. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).	
--	--

**Unit/Bundle 4: Exponential Relationships (5 weeks/2.5 weeks block)**

<b>KY.HS.F.12 Construct linear and exponential functions, including arithmetic and geometric sequences, given a graph, a description of a relationship, or two input-output pairs (include reading these from a table).</b>	<b>Priority Standard</b>
KY.HS.N.1 Extend the properties of integer exponents to rational exponents, allowing for the expression of radicals in terms of rational exponents.	<b>Supporting Standard</b>
KY.HS.N.2 Rewrite expressions involving radicals and rational exponents using the properties of exponents.	<b>Supporting Standard</b>
KY.HS.A.3c Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. ★ Use the properties of exponents to rewrite exponential expressions.	<b>Supporting Standard</b>
KY.HS.F.2 Recognize that arithmetic and geometric sequences are functions, sometimes defined recursively, whose domain is a subset of the integers.	<b>Supporting Standard</b>
KY.HS.F.5b: Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. Use the properties of exponents to interpret expressions for exponential functions and classify the exponential function as representing growth or decay.	<b>Supporting Standard</b>
KY.HS.F.7 Use arithmetic and geometric sequences to model situations and scenarios. a). Use formulas (explicit and recursive) to generate terms for arithmetic and geometric sequences. b). Write formulas to model arithmetic and geometric sequences and apply those formulas in realistic situations. ★	<b>Supporting Standard</b>
KY.HS.F.11 Distinguish between situations that can be modeled with linear functions and with exponential functions. a). Recognize and justify that linear functions grow by equal differences over equal intervals and that exponential functions grow by equal factors over equal intervals. b). Recognize situations in which one quantity changes at a constant rate per unit interval relative to another. c). Recognize situations in which a quantity grows or decays by a constant percent rate per unit interval relative to another.	<b>Supporting Standard</b>
KY.HS.F.14 Interpret the parameters in a linear or exponential function in terms of a context.	<b>Supporting Standard</b>

<b><i>The following standards are supporting to all units</i></b>	
KY.HS.N.4 Use units in context as a way to understand problems and to guide the solution of multi-step problems; ★ a). Choose and interpret units consistently in formulas b). Choose and interpret the scale and the origin in graphs and data displays.	<b>Supporting Standard</b>

Algebra I Unit/Bundle Plan 2019-2020

<p>KY.HS.N.5 Define appropriate units in context for the purpose of descriptive modeling. ★</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.N.6 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. ★</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.F.1 Understand properties and key features of functions and the different ways functions can be represented.</p> <p>a). Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If <math>f</math> is a function and <math>x</math> is an element of its domain, then <math>f(x)</math> denotes the output of <math>f</math> corresponding to the input <math>x</math>.</p> <p>b). Using appropriate function notation, evaluate functions for inputs in their domains and interpret statements that use function notation in terms of a context.</p> <p>c). For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities and sketch graphs showing key features given a verbal description of the relationship.</p> <p>d). Understand properties and key features of functions and the different ways functions can be represented. Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes.</p> <p>e). Understand properties and key features of functions and the different ways functions can be represented. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).</p>	<p><b>Supporting Standard</b></p>

**Benchmark #2 (Units 1 - 4)**



## Unit/Bundle 5: Quadratic Relationships (8 weeks/4 weeks block)

KY.HS.A.5 Add, subtract and multiply polynomials.	<b>Priority Standard</b>
KY.HS.A.19a Solve quadratic equations in one variable. a). Solve quadratic equations by taking square roots, the quadratic formula and factoring, as appropriate to the initial form of the equation.	<b>Priority Standard</b>
KY.HS.F.4a Graph functions expressed symbolically and show key features of the graph, with and without using technology (computer, graphing calculator). ★ a). Graph linear and quadratic functions and show intercepts, maxima and minima.	<b>Priority Standard</b>
KY.HS.A.1 Interpret expressions that represent a quantity in terms of its context. ★ a). Interpret parts of an expression, such as terms, factors and coefficients. b). ★ Interpret complicated expressions, given a context, by viewing one or more of their parts as a single entity.	<b>Supporting Standard</b>
KY.HS.A.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression. ★ a). Write the standard form of a given polynomial and identify the terms, coefficients, degree, leading coefficient and constant term. b). Factor a quadratic expression to reveal the zeros of the function it defines.	<b>Supporting Standard</b>
KY.HS.A.7 Identify roots of polynomials when suitable factorizations are available. Know these roots become the zeros (x-intercepts) for the corresponding polynomial function.	<b>Supporting Standard</b>
KY.HS.A.19 Solve quadratic equations in one variable. a). Solve quadratic equations by taking square roots, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers $a$ and $b$ .	<b>Supporting Standard</b>
KY.HS.F.4 Graph functions expressed symbolically and show key features of the graph, with and without using technology (computer, graphing calculator) . ★ a). Graph linear and quadratic functions and show intercepts, maxima and minima.	<b>Supporting Standard</b>
KY.HS.F.5a: Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function. a). Identify zeros, extreme values and symmetry of the graph within the context of a quadratic function.	<b>Supporting Standard</b>
KY.HS.F.13 Observe using graphs and tables that a quantity increasing exponentially eventually exceeds a quantity increasing linearly, quadratically, or (more generally) as a polynomial function.	<b>Supporting Standard</b>

Algebra I Unit/Bundle Plan 2019-2020

<b><i>The following standards are supporting to all units</i></b>	
<p>KY.HS.N.4 Use units in context as a way to understand problems and to guide the solution of multi-step problems; ★</p> <p>a). Choose and interpret units consistently in formulas</p> <p>b). Choose and interpret the scale and the origin in graphs and data displays.</p>	<b>Supporting Standard</b>
<p>KY.HS.N.5 Define appropriate units in context for the purpose of descriptive modeling. ★</p>	<b>Supporting Standard</b>
<p>KY.HS.N.6 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. ★</p>	<b>Supporting Standard</b>
<p>KY.HS.F.1 Understand properties and key features of functions and the different ways functions can be represented.</p> <p>a). Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If <math>f</math> is a function and <math>x</math> is an element of its domain, then <math>f(x)</math> denotes the output of <math>f</math> corresponding to the input <math>x</math>.</p> <p>b). Using appropriate function notation, evaluate functions for inputs in their domains and interpret statements that use function notation in terms of a context.</p> <p>c). For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities and sketch graphs showing key features given a verbal description of the relationship.</p> <p>d). Understand properties and key features of functions and the different ways functions can be represented. Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes.</p> <p>e). Understand properties and key features of functions and the different ways functions can be represented. Compare properties of two functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).</p>	<b>Supporting Standard</b>

**Benchmark #3 (Units 1 - 5)**

**Unit/Bundle 6 : Statistical Relationships (2 weeks/1 week block)**

<p><b>KY.HS.SP.6 a Represent data on two quantitative variables on a scatter plot and describe how the explanatory and response variables are related.</b>  <b>a). Calculate an appropriate mathematical model, or use a given mathematical model, for data to solve problems in context.</b></p>	<p><b>Priority Standard</b></p>
<p>KY.HS.SP.6 Represent data on two quantitative variables on a scatter plot and describe how the explanatory and response variables are related.                  b). Informally assess the fit of a model ( through calculating correlation for linear data, plotting, calculating and/ or analyzing residuals).</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.SP.8 Understand the role and purpose of correlation in linear regression.                  a). Use technology to compute correlation coefficient of a linear fit.                  b). Interpret the meaning of the correlation within the context of the data.                  c). Describe the limitations of correlation when establishing causation.</p>	<p><b>Supporting Standard</b></p>

<p><b><i>The following standards are supporting to all units</i></b></p>	
<p>KY.HS.N.4 Use units in context as a way to understand problems and to guide the solution of multi-step problems; ★                  a). Choose and interpret units consistently in formulas                  b). Choose and interpret the scale and the origin in graphs and data displays.</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.N.5 Define appropriate units in context for the purpose of descriptive modeling. ★</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.N.6 Choose a level of accuracy appropriate to limitations on measurement when reporting quantities. ★</p>	<p><b>Supporting Standard</b></p>
<p>KY.HS.F.1 Understand properties and key features of functions and the different ways functions can be represented.                  a). Understand that a function from one set (called the domain) to another set (called the range) assigns to each element of the domain exactly one element of the range. If <math>f</math> is a function and <math>x</math> is an element of its domain, then <math>f(x)</math> denotes the output of <math>f</math> corresponding to the input <math>x</math>.                  b). Using appropriate function notation, evaluate functions for inputs in their domains and interpret statements that use function notation in terms of a context.                  c). For a function that models a relationship between two quantities, interpret key features of graphs and tables in terms of the quantities and sketch graphs showing key features given a verbal description of the relationship.                  d). Understand properties and key features of functions and the different ways functions can be represented. Relate the domain of a function to its graph and, where applicable, to the quantitative relationship it describes.                  e). Understand properties and key features of functions and the different ways functions can be represented. Compare properties of two</p>	<p><b>Supporting Standard</b></p>

functions each represented in a different way (algebraically, graphically, numerically in tables, or by verbal descriptions).	
---	--